

SIZE MATTERS: DSC WIRELESS CONTACTS



So Small Only Your Installer Needs to Know

DSC wireless contacts are the perfect solution for difficult-to-wire applications or for those projects where aesthetics are an important consideration. Ideal for all types of residential or commercial installations, these devices are built with reliable 433 MHz wireless technology and are fitted with long-life lithium batteries (included).

Remember, size matters, and DSC wireless contacts are among the smallest in the industry. Adding wireless installations is easier and more profitable than ever before.

DSC[®]

DSC WIRELESS CONTACTS



Wireless Door/Window Contact WLS925L-433

The WLS925L-433 provides reliable protection for tight spaces.

- Built-in reed switch
- Normally closed external contact input
- Case tamper
- Available in brown housing
- WLS925L-433 will soon be replaced by the WS4945



Wireless Mini Door/Window Contact EV-DW4955

Practically unnoticeable once installed, the compactly designed EV-DW4955 is ideal for tough-to-fit installations and features a generous magnet gap of 5/8" (16 mm) that easily accommodates larger door or window frames.

- Small, compact design
- Multiple mounting options (screws and double-sided tape included)
- Smooth-back plastics
- Case tamper
- Built-in reed switch



Wireless Shock Sensor with Built-in Door/Window EV-DW4927

The EV-DW4927 is recommended for those environments, such as rooms with large furniture or heavy curtains that absorb sound, where glassbreak detection would not be suitable. In these instances the EV-DW4927 is ideal because it provides the double-protection provided by a contact that detects shock and openings and closing with a built-in reed switch.

- Electro-mechanical shock sensor
- Adjustable sensitivity
- Pre-alert
- Built-in reed switch and case tamper



Tri-Zone Wireless Door/Window Contact WS4965

In addition to providing installers with three zones, the WS4965 can be mounted in the traditional manner, or for applications such as garage doors, it can be configured for normally closed "tilt switch" operation.

- 3 zones in 1 (each zone has an individual serial number)
- Built-in reed switch
- Tilt switch mode for overhead doors
- 2 normally closed external contact inputs
- 1/2" (13 mm) maximum magnet gap
- Case tamper



Vanishing Contact EV-DW4975

The EV-DW4975 features a wafer-thin profile for a streamlined, practically unnoticeable look after installation. Designed specifically for use on vinyl windows, the EV-DW4975 can be easily mounted to the window frame with double-sided tape, thereby eliminating the need for drilling which can void warranties.

- 5/8" (16 mm) magnet gap
- Includes double-sided tape
- Built-in reed switch



Wireless Recessed Door Transmitter EV-DW4917

Hidden discreetly within the frame of a door, the only visible part of the EV-DW4917 once installed is the access cap (available in white or brown).

- Small, compact design
- Flexible mounting options (screw mount or press fit)
- Powerful, rare earth magnet
- Ships complete with flanged/non-flanged, brown/white access caps
- Built-in reed switch

Distributed by:



For product information
www.dsc.com

Product specifications and availability subject to change without notice. Certain product names mentioned herein may be trade names and/or registered trademarks of other companies.

©2006 2006-05